

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28529	(drying or dryer drier heating heater lamp or oven) near2 (dial or knob or switch)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 08:11
L2	80124	"400"/\$.ccls. or "347"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 07:50
L3	204	1 and 2	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 07:50
L4	395518	(heat heating temperature level) near2 (change changed changing adjust adjusted adjusting)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 08:10
L5	82	3 and 4	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 07:51
L6	53315	inkjet ink adj jet	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 08:57
L7	42	5 and 6	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 07:55
L8	25	7 not (head printhead).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 07:55
L9	138491	(heat heating temperature level) near2 (change changed changing adjust adjusted adjusting)	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:13
L11	12981	(drying or dryer drier heating heater lamp or oven) near2 (dial or knob or switch)	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:12
L12	346	9 and 11	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:11
L13	347070	b41j\$.ipc. or b41j4.epc.	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:12
L14	5	12 and 13	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:12
L15	647134	(drying or dryer drier lamp or oven)	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:12
L16	115439	inkjet or ink adj jet or b41j002/01.ipc. or b41j002/01.epc.	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:13
L17	27	9 and 15 and 16	EPO; JPO; DERWENT	OR	ON	2005/01/14 08:22
L18	1	("5467119").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 08:22

L19	49	("3851582" "3854224" "4313684" "4340893" "4358192" "4385826" "4414755" "4490728" "4661824" "4712172" "4728963" "4751528" "4780078" "4914562" "4928112" "4952781" "4970528" "4982207" "5005025" "5021805" "5041846" "5055861" "5060572" "5130726" "5146236" "5177562" "5208605" "5287123").PN. OR ("5467119").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 08:22
L20	41	("3592334" "4237466" "4294540" "4792249" "4878071" "4921240" "4926199" "4952950" "4982207" "5031002" "5037079" "5124728" "5197812" "5287123" "5294965" "5329295" "5399039" "5406321" "5420621" "5428384" "5461408" "5467119" "5479585" "5510822" "5608511" "5631685" "5668584" "5717446" "5754208" "5757407" "5992994" "D358417").PN. OR ("6224203").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 08:44
L21	1	("5,214,442").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 08:54
L22	1	("6513924").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 08:55
L23	1	("6679599").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 08:56
L24	6042	(cool or cooling or cooled) near2 (air) near4 (medium or paper or sheet or media or receiver or substrate)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 09:20
L25	26	2 and 6 and 24	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 09:21
L26	448	(cool or cooling or cooled) near2 (fan) near4 (medium or paper or sheet or media or receiver or substrate)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 09:27
L27	27	2 and 6 and 26	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 12:31
L28	95798	(cool or cooling or cooled) near2 (fan or air)	EPO; JPO; DERWENT	OR	ON	2005/01/14 09:27
L29	100	16 and 28	EPO; JPO; DERWENT	OR	ON	2005/01/14 09:29
L30	15	PETER-KENNETH\$.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 10:05

L31	1	("6092891").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 10:57
L32	2	JP-10291304-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/01/14 11:39
L33	1117	(drying or heating) near4 (characteristic or property or properties or type) near2 (media or medium or sheet or textile or paper or receiver or substrate)	EPO; JPO; DERWENT	OR	ON	2005/01/14 11:41
L34	92	13 and 33	EPO; JPO; DERWENT	OR	ON	2005/01/14 12:02
L35	20	fan near2 (remove or removed or removing) near2 (vapor or vaporization or vaporized)	EPO; JPO; DERWENT	OR	ON	2005/01/14 12:05
L36	1	35 and 13	EPO; JPO; DERWENT	OR	ON	2005/01/14 12:03
L37	70	fan near2 (remove or removed or removing) near2 (vapor or vaporization or vaporized)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 12:06
L38	1	6 and 37	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 12:05
L39	21567	(exhaust\$ or ventilate or ventilation) near4 fan	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 12:06
L40	142	2 and 6 and 39	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 12:06
L41	2	((("5668581") or ("5650808")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 12:47
L42	1	10/414,227	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 12:47
L43	8	"6120199"	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/14 12:48
S1	80124	"347"/\$.ccls. or "400"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 11:57
S2	22765	(drying or evaporating or dry or evaporate or evaporated or dried or dried) near2 ("% or percent)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 11:58
S3	91	S1 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 11:45

S4	9	S3 not ("% or percent) near4 (weight or wt)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 11:58
S5	348317	b41j\$.ipc. or b41j\$.epc.	EPO; JPO; DERWENT	OR	ON	2005/01/13 13:20
S6	129342	b41j002/0\$.ipc. b41j002/0\$.epc. b41j002/1\$.ipc. b41j002/1\$.epc. b41j002/20.ipc. b41j002/20.epc. b41j002/205.ipc. b41j002/205.epc. b41j002/21.ipc. b41j002/21.epc. b41j002/215.ipc. b41j002/215.epc. or inkjet or ink adj jet	EPO; JPO; DERWENT	OR	ON	2005/01/13 11:58
S7	2194	(drying or evaporating or dry or evaporate or evaporated or dried or dried) near2 ("% or percent)	EPO; JPO; DERWENT	OR	ON	2005/01/13 12:37
S8	140344	("%" or percent) near4 (weight or wt)	EPO; JPO; DERWENT	OR	ON	2005/01/13 11:58
S9	1	S5 and S6 and S7 not S8	EPO; JPO; DERWENT	OR	ON	2005/01/13 11:58
S10	775	(drying or evaporating or dry or evaporate or evaporated or dried or dried) with (specified or predetermined or desired selected or chosen or specify or predetermine or select or choose) near2 amount	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:14
S11	15	S6 and S10	EPO; JPO; DERWENT	OR	ON	2005/01/13 12:38
S12	1534	(drying or evaporating or dry or evaporate or evaporated or dried or dried) with (specified or predetermined or desired selected or chosen or specify or predetermine or select or choose) near2 amount	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 12:55
S13	12	S1 and S12	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 12:53
S14	397427	(drying or evaporating or dry or evaporate or evaporated or dried or dried) near3 (solvent or fluid or water)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 12:55
S15	53315	(ink adj jet or inkjet)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 12:55
S16	2171	S1 and S14 and S15	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 12:57
S17	8107	(completely or totally) near2 (dried or dried)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 12:57

S18	112	S1 and S15 and S17	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 12:58
S19	1	jp-59209148-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/01/13 13:21
S20	1	jp-01285352-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/01/13 13:21
S21	24	("4285507" "4313124" "4317026" "4345262" "4459600" "4463359" "4469026" "4558333" "4723129" "4740796" "4865675" "4933684" "4973824" "5005025" "5020244" "5041846").PN. OR ("6092891").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 13:23
S22	17	("4163892" "4223203" "4242566" "4541705").PN. OR ("4973824").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 14:14
S23	972771	ir or infrared or infra-red	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 15:34
S24	148001	ir or infrared or infra-red	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:14
S25	596	S24 and S6	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:14
S26	1966998	(drying or evaporating or dry or evaporate or evaporated or dried or dried heater heating heated)	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:53
S27	153	S25 and S26	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:15
S28	38602	b41j002/01.ipc. b41j002/01.epc.	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:15
S29	68	S27 and S28	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:20
S30	1	jp-11115175-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:31
S31	0	jp-61197285-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:36
S32	1	jp61197285	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:31
S33	1	jp-02182461-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:37
S34	1	("6783226").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 14:37
S35	2225834	(drying or evaporating or dry or evaporate or evaporated or dried or dried heater heating heated lamp oven)	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:57

S36	11	S25 and S28 and "45"	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:53
S37	70	S25 and S28 and S35	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:53
S38	2	S37 not S29	EPO; JPO; DERWENT	OR	ON	2005/01/13 14:53
S39	24937	(drying or evaporating or dry or evaporate or evaporated or dried or dried heater heating heated lamp oven) near2 (ir or infrared or infra-red)	US-PGPUB; USPAT	OR	ON	2005/01/13 15:22
S40	478	S1 and S39	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 15:22
S41	408163	(over-coat or over-coating or over-coated or overcoat\$ or post near1 (processing or printing) or lamine laminate laminated or laminating or protective near1 (coat coating or film or layer))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 15:27
S42	216	S40 and S41	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 15:30
S43	53315	inkjet or ink adj jet	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 15:30
S44	161	S42 and S43	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 15:33
S45	495	(347/102).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 15:33
S46	175	S23 and S45	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 16:28
S47	431	manually near1 (change or changing or changed or adjust or adjusting or adjusted) near2 (temperature or heat or heating or drier or drying or dryer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 16:49
S48	1	S45 and S47	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 16:30
S49	3	S1 and S47	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 16:30
S50	23	manually near1 (change or changing or changed or adjust or adjusting or adjusted) near2 (temperature or heat or heating or drier or drying or dryer)	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:48

S51	1	S5 and S50	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:48
S52	1975	(user or operator or manually) near3 (change or changing or changed or adjust or adjusting or adjusted) near2 (temperature or heat or heating or drier or drying or dryer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 16:51
S53	13	S1 and S52	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 16:50
S54	286	(user or operator or manually) near3 (change or changing or changed or adjust or adjusting or adjusted) near2 (temperature or heat or heating or drier or drying or dryer)	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:51
S55	15	S6 and "556"	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:51
S56	1	S6 and S54	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:52
S57	5	S5 and S54	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:52
S58	217	S6 and (thermostat or thermistor)	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:56
S59	30768	set near1 temperature	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:56
S60	160	S6 and S59	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:56
S61	106	S35 and S60	EPO; JPO; DERWENT	OR	ON	2005/01/13 16:57